

FACIT

BY ICONS OF DENMARK



TABLES

Combining a warm and light aesthetic with functional strength, Facit is designed as a gathering place for modern workplace activities.





KEY FEATURES

Versatile design
Expressive lightness
Seamless integration

FACIT

Originally designed as a workstation, Facit is easily configurable and scalable to suit settings such as hot-desking, meetings and touchdown environments. To retain the sleek profile of the Facit, power and data is integrated into the leg of the table through a magnetised panel.

FACTS

Designer	Icons of Denmark
Year	2019
Origin	Made in Denmark
Table Top	28mm MDF with laminate, linoleum, Fenix, oak veneer
Base	Oak black lacquer, oak white pigmented lacquer, oak clear lacquer
Edge	Stepped or bevelled edge with black lacquer MDF, Oak clear lacquer, Oak black lacquer, Oak white pigmented lacquer
Accessories	Power & data cable cover and tray, integrated leg power, desk screens
Assembly	Table top and legs flatpacked with fittings included
Lead times	6 - 8 weeks
Intended use	Workstation, meeting & conference settings
Complementary	Arena, Crossover and Sky chairs
Certification	We follow REACH; Where formaldehyde is found, we adhere to E0 and E1 EU regulations. FSC Wood sourced on request. Icons is ISO 9001 and 14001 certified

INSPIRATION




FACIT MEETING TABLE

DIMENSIONS

SPECIFICATIONS



Width	Depth	Height
1600mm	950mm	740mm
1800mm	950mm	740mm
2200mm	950mm	740mm
2400mm	950mm	740mm
2950mm	950mm	740mm
3200mm	950mm	740mm
3600mm	950mm	740mm
4200mm	950mm	740mm
4800mm	950mm	740mm
5400mm	950mm	740mm
6000mm	950mm	740mm




FACIT HIGH TABLE

DIMENSIONS

SPECIFICATIONS



Width	Depth	Height
1600mm	800/1000mm	1080mm
1800mm	800/1000mm	1080mm
2200mm	800/1000mm	1080mm
2400mm	800/1000mm	1080mm
2950mm	800/1000mm	1080mm
3200mm	800/1000mm	1080mm
3600mm	800/1000mm	1080mm
4200mm	800/1000mm	1080mm
4800mm	800/1000mm	1080mm
5400mm	800/1000mm	1080mm
1600mm	1200/1400mm	1080mm
1800mm	1200/1400mm	1080mm
2200mm	1200/1400mm	1080mm
2400mm	1200/1400mm	1080mm
2950mm	1200/1400mm	1080mm
3200mm	1200/1400mm	1080mm
3600mm	1200/1400mm	1080mm
4200mm	1200/1400mm	1080mm
4800mm	1200/1400mm	1080mm
5400mm	1200/1400mm	1080mm
6000mm	1200/1400mm	1080mm



FACIT UNLIMITED TABLE

DIMENSIONS

SPECIFICATIONS



Width	Depth	Height
1600mm	1200/1400/ 1600mm	740mm
1800mm	1200/1400/ 1600mm	740mm
2200mm	1200/1400/ 1600mm	740mm
2400mm	1200/1400/ 1600mm	740mm
2900mm	1200/1400/ 1600mm	740mm
3200mm	1200/1400/ 1600mm	740mm
3600mm	1200/1400/ 1600mm	740mm
4200mm	1200/1400/ 1600mm	740mm
4800mm	1200/1400/ 1600mm	740mm
5000mm	1200/1400/ 1600mm	740mm
5400mm	1200/1400/ 1600mm	740mm
6000mm	1200/1400/ 1600mm	740mm
7000mm	1200/1400/ 1600mm	740mm
7500mm	1200/1400/ 1600mm	740mm
8000mm	1200/1400/ 1600mm	740mm
8500mm	1200/1400/ 1600mm	740mm
9000mm	1200/1400/ 1600mm	740mm




TABLE TOP – LAMINATE




TABLE TOP – LINOLEUM



TABLE TOP – FENIX



TABLE TOP - WOOD



BASE – SOLID WOOD



Oak black lacquer



Oak white pigmented lacquer



Oak clear lacquer

EDGE – FINISH



Black lacquer MDF



Oak white pigmented lacquer




Oak clear lacquer


EDGE – SHAPE




Bevelled Edge
Lacquered
MDF



Bevelled Edge
Wood



Stepped Edge
Lacquered
MDF



Stepped Edge
Wood

ACCESSORIES



CNC cut out for top pixel unit



Fabric desk screens



Cable trays and covers




Integrated hidden power in the leg

ENVIRONMENTAL PRODUCT DECLARATION

Material composition

These percentages illustrate the weight of each material. Items with a weight <1% of the total product weight are not included.



Production

Final assembly of product in Denmark

Product lifecycle

Product is designed to enable responsible end of use strategies: reselling, refurbishing, charitable donation or recycling. Disassembly and recycling instructions are available upon request, for a representative configuration.

VOC emissions

Volatile organic compounds (VOCs) and use of potentially toxic substances are kept to an absolute minimum.

We follow REACH; advocating materials with the lowest emissions, naturally flame- retardant fabrics and naturally dyed fabrics and hides. Where formaldehyde is found, we adhere to E0 and E1 EU regulations.

Environmental systems

Icons is ISO 14001 certified, guaranteeing to our customers that we comply with the requirements of international environmental guidelines.

Quality systems

Icons is ISO 9001 certified for our quality systems.

HSE systems

We aim to exceed OSHA Standards

Shipping and packaging

Batch packed for optimised transport volume.

Packaged with recyclable cardboard.

Alternative materials can be procured on request.

